

Inhoud

1. YourCompany	2
2. Eigenschap:Contract Type	5
3. Gebruiker:Redaktion	7
4. YourCompany/Development System	8
5. YourCompany/Documentation	13
6. YourCompany/Production System	27

YourCompany

[Interactief door geschiedenis bladeren](#)

[VisueelWikitekst](#)

Versie van 13 sep 2019 15:52 (brontekst bekijken)

hw>Rheigl

Geen bewerkingssamenvatting

Huidige versie van 6 dec 2021 om 11:01 (brontekst bekijken)

[Redactie](#) ([overleg](#) | [bijdragen](#))

k (1 versie geïmporteerd)

(geen verschil)

Huidige versie van 6 dec 2021 om 11:01

Headquarters	Munich	Contact since	2017	Status	
Partnership	no Partner	Account Manager	Doe, John	Technical Contact	Schreiber, Horst

- Contracts**
1. [YourCompany/Development System](#) (Contract Type: Subscription)
 2. [YourCompany/Documentation](#) (Contract Type: Subscription)
 3. [YourCompany/Production System](#) (Contract Type: Subscription)

- Minutes**
- Recente verslagen:
- [Production System](#)
 - [Development System](#)
 - [Documentation](#)

Het deel "]]" van de zoekopdracht is niet begrepen.</br>De resultaten kunnen afwijken van de verwachting.

Inhoud

1 Initial situation and requirements	4
2 Installations	4
3 Project history	4
4 Technical notes for Maintenance and Support	4
5 Marketing and Sales	4
6 Other notes and experiences	4

Initial situation and requirements

YourCompany came to us in February 2017 to build a wiki system. MediaWiki was tested as an alternative and was not user-friendly enough. In addition, it lacked many functionalities of BlueSpice.

Installations

Create a new installation profile.

Project: [YourCompany/Development System](#), Project: [YourCompany/Documentation](#), Project: [YourCompany/Production System](#)

Link to the Hallo Welt! internal test system:

Project history

Year	Milestone	Contact
2017	Setup Wikisystem	Sarah Naumann

Technical notes for Maintenance and Support

- External Access: VPN
- Internal deployment notes: no special features
- Special processes (e.g, maintenance cycles, cooperation partners, handling of staging system ...): IT-Systemhaus is the main service provider

Marketing and Sales

- Special contractual arrangements (maintenance, framework contract): none
- Usable screenshots: none

Other notes and experiences

Eigenschap:Contract Type

Huidige versie van 6 dec 2021 om 11:01 ([brontekst bekijken](#))

Redactie ([overleg](#) | [bijdragen](#))

k (1 versie geïmporteerd)

(geen verschil)

Huidige versie van 6 dec 2021 om 11:01

This is a property of data type [Text](#).

The possible values for this property are:

- Subscription
- Partner
- Individual
- No contract

Gebruik9Constraint schema

[vorige 202050100250500volgende 20](#)

Filter<p>The [search filter](https://www.semantic-mediawiki.org/wiki/Help:Property_page/Filter) allows the inclusion of [query expressions](https://www.semantic-mediawiki.org/wiki/Help:Query_expressions) such as `~` or `!`. The selected [query engine](https://www.semantic-mediawiki.org/wiki/Query_engine) might also support case insensitive matching or other short expressions like:

- <code>in:</code> result should include the term, e.g. '`in: Foo`'
- <code>not:</code> result should to not include the term, e.g. '`not:Bar`'

Showing 9 pages using this property.

B

[BlueSpice Demo NL](#) +

Partner +

I

[IT Competency/Competency Wiki](#) +

Subscription +

M

[MG Laser Consult/MGL](#) +

Subscription +

S

[Skin and Bones Physio/Health Wiki](#) +

Subscription +

[Skin and Bones Physio/Health Wiki Test System](#) +

Subscription +

[Sound Waves LLC/Sound and Smoke Platform +](#)

[Subscription +](#)

Y

[YourCompany/Development System +](#)

[Subscription +](#)

[YourCompany/Documentation +](#)

[Subscription +](#)

[YourCompany/Production System +](#)

[Subscription +](#)

Het verzoek wordt verwerkt en kan even duren.

Vorbereiden ...

```
{
  "type": "PROPERTY_CONSTRAINT_SCHEMA",
  "constraints": {
    "type_constraint": "_txt",
    "allowed_values": [
      "Subscription",
      "Partner",
      "Individual",
      "No contract"
    ]
  }
}
```

Gebruiker:Redaktion: verschil tussen versies

Huidige versie van 6 dec 2021 om 11:01 ([brontekst bekijken](#))

Redactie ([overleg](#) | [bijdragen](#))

k (1 versie geïmporteerd)

(geen verschil)

Huidige versie van 6 dec 2021 om 11:01

YourCompany/Development System: verschil tussen versies

Huidige versie van 6 dec 2021 om 11:01 ([brontekst bekijken](#))

Redactie ([overleg](#) | [bijdragen](#))

k (1 versie geïmporteerd)

(geen verschil)

Huidige versie van 6 dec 2021 om 11:01

Belongs to:	YourCompany	Account Manager:	Doe, John	Contract Type:	Subscription
First Installation:	2018/11/26	Last Update:	019 /03 /26	Performance Level:	Standard with WikiFarm and Development
Contract Start:	2018/09/03	Minimum Contract Period:	2 Years		

Short Description Test system: BlueSpice 3 pro Standard with WikiFarm and Development

Inhoud

1 History / Important Deployments	10
2 Access	10
3 Installed programs (applications)	10
4 Please note for updates	10
5 Docker	10
5.1 Starting Docker	10
5.2 Docker IP	11
6 Backup / Cronjobs	11
6.1 Cronjobs	11
6.2 Backup	11
7 Services	11
7.1 Database	11
7.2 PHP	11
7.3 Jetty	11
7.4 Caching	11
7.5 Webserver	11

History / Important Deployments

Protocol by	Sarah Naumann
First Installation	2018-11-26
Update to 3.0.1	2019-03-26
Update	

Access

Remote Access	VPN -> SSH
ID	a_exNNNNN
Username for SSH	ICA\a_exNNNNN

Installed programs (applications)

URL	https://wiki.yourcompany.com
Domains	- wiki.yourcompany.com - wikidoc.yourcompany.com
Server Name	rz17.musterfirma.local
Operating System	Ubuntu 16.04.
BlueSpice Version	3.0.1 per WikiFarm
MediaWiki Version	1.31.1
Deployment Package	Docker
Path to Docker files	/data/bluespice/bluespice
Authentication	SAML.php
Notes	Group assignment to instances in 099-AdditionalPermissions.php

Please note for updates

Since it is currently not possible to set the permissions properly, the **delete** permission has been withdrawn from the **editor** DefaultSettings.php.

Docker

Starting Docker

```
docker run -d -v /data/bluespice/certificates:/etc/apache2/ssl -v  
/data/bluespice/bluespice/099-AdditionalPermissions.php:/var/www/bluespice/w  
/settings.d/  
099-AdditionalPermissions.php -v
```

```
/data/bluespice/database:/var/lib/mysql -v
/data/bluespice/elasticsearch:/var/lib/elasticsearch -v
/data/bluespice/bluespice:/opt/bluespice-docker -v /data/bluespice/backup:
/backup -v
/data/backups-mediawiki:/import -e "TZ=Europe/Berlin" -lCE -t -p 80:80 -p 443
:443
-p 8000:8000 -p 8001:8001 1d85e6a800e9
```

Docker IP

```
cat /etc/docker/daemon.json
{
    "bip": "172.19.10.1/24",
    "fixed-cidr": "172.19.10.1/24"
}
```

Backup / Cronjobs

Cronjobs

runJobs	daily
---------	-------

Backup

BackupDatabases	daily
-----------------	-------

Services

Database

Program	MariaDB
Version	10.1.37

PHP

Version	7.0.30
---------	--------

Jetty

Version	9
---------	---

Caching

opcache	Yes
memcached	No

Webserver

Program	Apache
---------	--------

Version	2.4.18
---------	--------

YourCompany/Documentation: verschil tussen versies

Huidige versie van 6 dec 2021 om 11:01 ([brontekst bekijken](#))

Redactie ([overleg](#) | [bijdragen](#))

k (1 versie geïmporteerd)

(geen verschil)

Huidige versie van 6 dec 2021 om 11:01

Inhoud

1 Management Summary	16
2 Server Infrastructure	17
2.1 Server environment	17
2.2 Setup BlueSpice pro with WikiFarm	17
2.2.1 BlueSpice pro Services:	17
2.2.1.1 Services for the operation of BlueSpice pro:	17
2.2.1.2 Additonal Services:	17
2.2.2 Scheme Docker Container	18
3 Production Wiki	19
3.1 History / Important Deployments	19
3.2 Access	19
3.3 Installed programs (applications)	19
3.4 Please note for updates	20
3.5 Docker	20
3.5.1 Starting Docker	20
3.5.2 Docker IP	20
3.6 Backup / Cronjobs	20
3.6.1 Cronjobs	20
3.6.2 Backup	20
3.7 Services	20
3.7.1 Database	20
3.7.2 PHP	21
3.7.3 Jetty	21
3.7.4 Caching	21
3.7.5 Webserver	21
4 Development Wiki	22
4.1 History / Important Deployments	22
4.2 Access	22
4.3 Installed programs (applications)	22
4.4 Please note for updates	23

4.5 Docker	23
4.5.1 Starting Docker	23
4.5.2 Docker IP	23
4.6 Backup / Cronjobs	23
4.6.1 Cronjobs	23
4.6.2 Backup	23
4.7 Services	23
4.7.1 Database	23
4.7.2 PHP	24
4.7.3 Jetty	24
4.7.4 Caching	24
4.7.5 Webserver	24
5 Authentication and Security Levels	25
5.1 SAML/Prod	25
5.2 Security levels of wikis	25
5.2.1 Public	25
5.2.2 Protected	25
5.2.3 Private	25
5.2.4 Admin	26
5.3 URL	26

Management Summary

YourCompany has organizational wikis.

The organization wikis vary in size, some have a size of only a few pages. About 5 wikis have a much larger size. All model company wikis have a total of about 400 users.

The following procedure has been defined:

- Users are currently managed by SAML. In addition, access to the individual wikis should be controlled via SAML.

Server Infrastructure

Server environment

Server	Server name	URL	Configuration
Production System	rz14. yourcompany. local	https://wiki. yourcompany. de/	Ubuntu 16.04. 8 CPUs 32 GB RAM
Development System	rz14. yourcompany. local	https://wiki-a. yourcompany. de	Ubuntu 16.04. 8 CPUs 32 GB RAM

Setup BlueSpice pro with WikiFarm

BlueSpice pro Services:


Services for the operation of BlueSpice pro:

- Webserver (Apache) with PHP
- Database (MariaDB)

Additional Services:

Service	required for
NodeJS/Parsoid	VisualEditor
NodeJS/PhantomJS	generating screenshots (e.g. recent changes)
Java Application Server (Jetty)/ Tomcat	PDF export
Java Application Server (Jetty)/ VisualDiff	compare versions of a page
Java Application Server (Jetty)/ TeX	math formulas
Search Server (ElasticSearch)	search
SVG-Renderer (Inkscape)	.svg
Python/Pygmentize	syntax highlighting source code in pages

Scheme Docker Container



Production Wiki

History / Important Deployments

Protocol by	Horst Schreiber
First installation	2017-04-02
Update to current codebase 3.0.0	2018-11-26
Update to 3.0.1	2019-03-27
Update	

Access

Remote Access	VPN -> SSH
ID	a_exNNNNNN
Username for SSH	ICA\a_exNNNNNN

Installed programs (applications)

URL	https://wiki.yourcompany.com
Domains	- wiki.yourcompany.com - wikidocs.yourcompany.com
Server name	rz14.yourcompany.local
Operating System	Ubuntu 16.04.
BlueSpice Version	3.0.1 per WikiFarm
MediaWiki Version	1.31.1
Deployment package	Docker
Path to Docker files	/data/bluespice/bluespice
Authentication	SAML.php
Notes	Group assignment to instances in 099-AdditionalPermissions.php

Please note for updates

Since it is currently not possible to set the permissions properly, the **delete** permission has been withdrawn from the **editor** DefaultSettings.php.

Docker

Starting Docker

```
docker run -d -v /data/bluespice/certificates:/etc/apache2/ssl -v
/data/bluespice/bluespice/099-AdditionalPermissions.php:/var/www/bluespice/w
/settings.d/099-
AdditionalPermissions.php -v
/data/bluespice/database:/var/lib/mysql -v
/data/bluespice/elasticsearch:/var/lib/elasticsearch -v
/data/bluespice/bluespice:/opt/bluespice-docker -v /data/bluespice/backup:
/backup -v
/data/backups-mediawiki:/import -e "TZ=Europe/musterfirma" -lCE -t -p 80:80 -
p 443:443 -p 8000:8000
-p 8001:8001 1d85e6a800e9
```

Docker IP

```
cat /etc/docker/daemon.json
{
    "bip": "172.19.10.1/24",
    "fixed-cidr": "172.19.10.1/24"
}
```

Backup / Cronjobs

Cronjobs

runJobs	daily
----------------	-------

Backup

BackupDatabases	daily
------------------------	-------

Services

Database

Programm	MariaDB
Version	10.1.37

PHP

Version	7.0.30
----------------	--------

Jetty

Version	9
----------------	---

Caching

opcache	Yes
memcached	No

Webserver

Programm	Apache
Version	2.4.18

Development Wiki

Belongs to:	YourCompany	Account Manager:	Doe, John	Contract Type:	Subscription
First Installation:	2018/11/26	Last Update:	019 /03 /26	Performance Level:	Standard with WikiFarm and Development
Contract Start:	2018/09/03	Minimum Contract Period:	2 Years		

Short Description Test system: BlueSpice 3 pro Standard with WikiFarm and Development

History / Important Deployments

Protocol by	Sarah Naumann
First Installation	2018-11-26
Update to 3.0.1	2019-03-26
Update	

Access

Remote Access	VPN -> SSH
ID	a_exNNNNN
Username for SSH	ICA\a_exNNNNN

Installed programs (applications)

URL	https://wiki.yourcompany.com
Domains	- wiki.yourcompany.com - wikidoc.yourcompany.com
Server Name	rz17.musterfirma.local
Operating System	Ubuntu 16.04.
BlueSpice Version	3.0.1 per WikiFarm
MediaWiki Version	1.31.1
Deployment Package	Docker

Path to Docker files	/data/bluespice/bluespice
Authentication	SAML.php
Notes	Group assignment to instances in 099-AdditionalPermissions.php

Please note for updates

Since it is currently not possible to set the permissions properly, the **delete** permission has been withdrawn from the **editor** DefaultSettings.php.

Docker

Starting Docker

```
docker run -d -v /data/bluespice/certificates:/etc/apache2/ssl -v
/data/bluespice/bluespice/099-AdditionalPermissions.php:/var/www/bluespice/w
/settings.d/
099-AdditionalPermissions.php -v
/data/bluespice/database:/var/lib/mysql -v
/data/bluespice/elasticsearch:/var/lib/elasticsearch -v
/data/bluespice/bluespice:/opt/bluespice-docker -v /data/bluespice/backup:
/backup -v
/data/backups-mediawiki:/import -e "TZ=Europe/Berlin" -lCE -t -p 80:80 -p 443
:443
-p 8000:8000 -p 8001:8001 1d85e6a800e9
```

Docker IP

```
cat /etc/docker/daemon.json
{
    "bip": "172.19.10.1/24",
    "fixed-cidr": "172.19.10.1/24"
}
```

Backup / Cronjobs

Cronjobs

runJobs	daily
----------------	-------

Backup

BackupDatabases	daily
------------------------	-------

Services

Database

Program	MariaDB
----------------	---------

Version	10.1.37
---------	---------

PHP

Version	7.0.30
---------	--------

Jetty

Version	9
---------	---

Caching

opcache	Yes
memcached	No

Webserver

Program	Apache
Version	2.4.18

Authentication and Security Levels

SAML/Prod

The following domains are all connected to SAML:

- [wiki.yourcompany.com](#) = Main Instance = WikiFarm Management
- [wiki.yourcompany.com](#) redirects to [wiki.yourcompany.com/yourcompany](#)= YourCompany Wiki
- [wikidocs.yourcompany.com](#) redirects to [wiki.yourcompany.com/yourcompany](#) with local login

Security levels of wikis

* = (all) = applies to every visitor of the wiki, including those who do not log in.

Public

		permissions			
user group	login required	sys admin	wiki maintain admin	editor	reader
[...]_Admin	x	x	x	x	x
*	---	---	---	x	x

Protected

		permissions			
user group	login required	sys admin	wiki maintain admin	editor	reader
[...]_Admin	x	x	x	x	x
[...]_Editeren	x	---	---	x	x
*	---	---	---	---	x

Private

		permissions			
user group	login required	sys admin	wiki maintain admin	editor	reader
[...]_Admin	x	x	x	x	x
[...]_Editeren	x	---	---	x	x
[...]_Lezen	x	---	---	---	x
*	---	---	---	---	---

Admin

		permissions			
user group	login required	sys admin	wiki maintain admin	editor	reader
[...]_Admin	x	x	x	x	x
*	---	---	---	---	---

URL

If the URL of a wiki does not exist (or there is a letter error because of case-sensitivity), the user is currently redirected to the farm management. Depending on the authorization level, the user might not have access. It is possible to redirect the user to a page of another instance. However, this can only be done **once**. Redirects always link to the same instance. On the target page you could, for example, store an overview of operating wikis.

YourCompany/Production System: verschil tussen versies

Huidige versie van 6 dec 2021 om 11:01 ([brontekst bekijken](#))

Redactie ([overleg](#) | [bijdragen](#))

k (1 versie geïmporteerd)

(geen verschil)

Huidige versie van 6 dec 2021 om 11:01

Belongs to:	YourCompany	Account Manager:	Schreiber, Horst	Contract Type:	Subscription
First Installation:	2018/04/02	Last Update:	2019/03/27	Performance Level:	Standard with WikiFarm and Development
Contract Start:	2018/04/02	Minimum Contract Period:			

Short Description Production system: BlueSpice 3 pro Standard with WikiFarm with Development

Inhoud

1 History / Important Deployments	29
2 Access	29
3 Installed programs (applications)	29
4 Please note for updates	29
5 Docker	30
5.1 Starting Docker	30
5.2 Docker IP	30
6 Backup / Cronjobs	30
6.1 Cronjobs	30
6.2 Backup	30
7 Services	30
7.1 Database	30
7.2 PHP	30

7.3 Jetty	31
7.4 Caching	31
7.5 Webserver	31

History / Important Deployments

Protocol by	Horst Schreiber
First installation	2017-04-02
Update to current codebase 3.0.0	2018-11-26
Update to 3.0.1	2019-03-27
Update	

Access

Remote Access	VPN -> SSH
ID	a_exNNNNN
Username for SSH	ICA\a_exNNNNN

Installed programs (applications)

URL	https://wiki.yourcompany.com
Domains	- wiki.yourcompany.com - wikidocs.yourcompany.com
Server name	rz14.yourcompany.local
Operating System	Ubuntu 16.04.
BlueSpice Version	3.0.1 per WikiFarm
MediaWiki Version	1.31.1
Deployment package	Docker
Path to Docker files	/data/bluespice/bluespice
Authentication	SAML.php
Notes	Group assignment to instances in 099-AdditionalPermissions.php

Please note for updates

Since it is currently not possible to set the permissions properly, the **delete** permission has been withdrawn from the **editor** DefaultSettings.php.

Docker

Starting Docker

```
docker run -d -v /data/bluespice/certificates:/etc/apache2/ssl -v
/data/bluespice/bluespice/099-AdditionalPermissions.php:/var/www/bluespice/w
/settings.d/099-
AdditionalPermissions.php -v
/data/bluespice/database:/var/lib/mysql -v
/data/bluespice/elasticsearch:/var/lib/elasticsearch -v
/data/bluespice/bluespice:/opt/bluespice-docker -v /data/bluespice/backup:
/backup -v
/data/backups-mediawiki:/import -e "TZ=Europe/musterfirma" -lCE -t -p 80:80 -
p 443:443 -p 8000:8000
-p 8001:8001 1d85e6a800e9
```

Docker IP

```
cat /etc/docker/daemon.json
{
    "bip": "172.19.10.1/24",
    "fixed-cidr": "172.19.10.1/24"
}
```

Backup / Cronjobs

Cronjobs

runJobs	daily
----------------	-------

Backup

BackupDatabases	daily
------------------------	-------

Services

Database

Programm	MariaDB
Version	10.1.37

PHP

Version	7.0.30
----------------	--------

Jetty

Version	9
----------------	---

Caching

opcache	Yes
memcached	No

Webserver

Programm	Apache
Version	2.4.18